

**Issue Date: August 2006** 

## 1. Identification of Substances & Company

## **ROCK SALT (SODIUM CHLORIDE)**

Company:

Marchington Stone Limited Buxton Road High Lane Stockport SK6 8DX

Telephone: 01663 765000 Fax: 01663 763777

### 2. Composition/Information on Ingredients

A 94% pure salt and has a characteristic reddish-brown colour owing to the presence of marl (an insoluble clay) which is the chief impurity

#### 3. Hazards Identification

Unlikely to cause harmful effects under normal conditions of handling and use.

## 4. First Aid Measures

## Summary of First Aid Procedures

### <u>Inhalation</u>

Unlikely to be required, but if necessary treat symptomatically.

### Skin Contact

After repeated or prolonged contact wash the skin with water.

### **Eye Contact**

Immediately and thoroughly irrigate with water. The material is abrasive and may scratch the surface of the eye. If pain persists seek medical attention.



**Issue Date: August 2006** 

**Ingestion** 

Vomiting is likely. Wash out mouth with water and give 200-300ml (half a pint) of water to drink. Obtain medical attention, especially if vomiting has not occurred.

Remove to fresh air and give water to drink. Seek medical attention if vomiting has not occurred.

Further Medical Attention.

Symptomatic, if necessary. No known delayed effects.

## 5. Fire Fighting Measures

Non-flammable. Will withstand temperatures up to its melting point and beyond without decomposing. No special fire fighting procedure, extinguisher media or explosion hazard is identified.

### 6. Accidental Release Measures

### **Personal Precautions**

See 8.2

### Methods for Cleaning

Clear up spillages. Transfer to a container for disposal or alternatively drench spillage with water.

## 7. Handling and Storage

### Handling

Avoid prolonged skin contact. Avoid inhalation of high concentration of dust. Keep away from concentrated acids and common metals.

### Storage

Keep away from concentrated acids. Rock salt can be stored outside. Keep away from valued vegetation.



**Issue Date: August 2006** 

Issue Date: July 2006 – page 3 NATURAL AGGREGATES

## 8. Exposure Controls/Personal Protection

Wear suitable personal protection equipment.

8.1 Exposure Control Limits/Source

Total Inhalable Dust: O.E.S 10mg/m<sup>3</sup>

8 Hours T.W.A

Respirable Dust: O.E.S 4mg/m<sup>3</sup>

8 Hours T.W.A

O.E.S = Occupational Exposure Standard

T.W.A = Time Weighted Average

8.2 Personal protective Equipment.

**Respiratory Protection** 

Suitable respiratory protection should be worn.

Hand Protection

Gloves

**Eye Protection** 

Safety goggles should be worn whenever there is a risk of rock salt entering the eye.

Skin Protection

Protective Clothing should be worn.

## 9. Physical and Chemical Properties



**Issue Date: August 2006** 

9.1 Physical Data

Form Crystalline solid
Colour Red-brown
Odour Odourless
Viscosity N/A

Viscosity
N/A
Freezing point
N/A
Boiling point
1413°C
Melting point
802°C
Flash point
N/A
Explosive properties
N/A

Density (g/ml) 2165 at 20°C Vapour Pressure 2.4 at 747°C

Specific Gravity 2.3

Solubility (in water) Ready soluble

Issue Date: July 2006 – page 4 NATURAL AGGREGATES

## 10. Stability and Reactivity

Conditions to Avoid

Conditions contributing to chemical instability.

Materials to Avoid

Reaction with concentrated acid will produce hydrogen chloride.

**Hazardous Decomposition Products** 

None

**Special Precautions** 

Under wet conditions will corrode many common metals, particularly iron, aluminium and zinc.

## 11. Toxicological Information



**Issue Date: August 2006** 

a. Eye Contact

High concentrations may cause irritation.

b. Skin

Dry salt and concentrated solutions will remove the natural greases from the skin resulting in dryness. Repeated and/or prolonged contact may cause irritation.

c. Ingestion

The swallowing of small amounts is unlikely to cause any adverse effects. Excessive doses may result in irritation of the gastro-intestinal tract, leading to nausea, vomiting and diarrhoea.

d. Inhalation

High concentration of dust may be irritant to the respiratory tract.

Long Term Exposure

Chronic effects may result from the ingestion of excessive amounts of either salt or brine. Ingestion of hypertonic solutions can cause disturbance of body electrolyte and fluid balance.

Issue Date: July 2006 – page 5 NATURAL AGGREGATES

### 12. Ecological Information

### 12.1Aquatic Toxicity Rating

96 hour LC50 (Fish) 6750 mg/l 48 hour EC50 (Daphnia) 2024 mg/l 72 hour IC50 (Algae) 3014 mg/l

Daphnia Subacute 062 mg/l Fish Subacute 433 mg/l

### 12.2 Persistence and Degradation



**Issue Date: August 2006** 

None

12.3 Earthworm toxicity 1000/ug/cm<sup>2</sup>

12.4 Photodegradability Infinite OH

## 13. Disposable Consideration

<u>Likely Residues/Waste Product</u> None

## Safe Handling of Residues/Waste Product

Rock salt should be disposed of in accordance with local and national legal requirements. See the Environmental Protection Act 1990 'Duty of Care' and other current legislation.

## **14. Transport Information**

<u>Special Carriage Requirements</u> None - open vehicles to be sheeted to avoid dust nuisance

### 15. Regulatory Information

15.1Chemicals (Hazardous Information & Packaging for Supply) Regulations 2002 Classification – None

Occupational Exposure Limits
HSE Guidance note EH40
OES 10 mg/m³ (8 hr TWA) total inhalable dust
4 mg/m³ total respirable dust.

Issue Date: July 2006 – page 6 NATURAL AGGREGATES



**Issue Date: August 2006** 

16. Other Information

Wear and use of PPE

Further Information

Marchington Stone Limited Telephone 01663 765000

Key Data Used to Compile Data Sheet
Health & Safety at Work act 1974
PPE Regulations 1992
COSHH Regulations 1999
Environmental Protection Act 1990
Control of Substances Hazardous to Health Regulations (COSHH) 2002
HSE Guidance Note EH40 (Occupational Exposure Limits)
Any authorised manual on First Aid by St John's/St Andrews/Red Cross
Manual Handling Operations Regulations
Data Sheet prepared in accordance with directive 91/155/EEC

If you have purchased this product for supply to a third party for use at work, it is your duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet.

If you are an employer, it is your duty to tell your employees and others who may be affected, of any hazards described in this sheet and any of the precautions which should be taken.

Further copies of this Safety Data Sheet may be obtained from Marchington Stone Limited.

